



ROYAL BOTANIC GARDENS

# Kew Bulletin

## 1957

LONDON

HER MAJESTY'S STATIONERY OFFICE

1959

THE SEPARATE NUMBERS OF THIS VOLUME  
WERE PUBLISHED AS FOLLOWS:

No. 1	- -	28th May, 1957	-	Price £1 2s. 6d.
No. 2	- -	6th September, 1957	-	Price £1 2s. 6d.
No. 3	- -	17th January, 1958	-	Price £1 2s. 6d.

---

## CONTENTS

	<i>page</i>
No. 1. REVIEW OF WORK ... ..	1
PUBLICATIONS ... ..	31
LIST OF STAFF ... ..	33
NOTES ON AFRICAN CELASTRACEAE : III ... ..	37
VIABILITY AND STORAGE OF SEEDS (REV.) ... ..	40
THE SCALES OF CYATHEACEAE ... ..	41
WILD FLOWERS OF WESTERN AUSTRALIA (REV.) ... ..	46
NEW AFRICAN FERNS ... ..	47
LABORATORY EXPERIMENTS IN PLANT PHYSIOLOGY (REV.) ... ..	49
NOTES ON AFRICAN GRASSES : XXV ... ..	51
NOTES ON AFRICAN GRASSES : XXVI ... ..	52
NOTES ON AFRICAN GRASSES : XXVII ... ..	54
NOTES ON AFRICAN GRASSES : XXVIII ... ..	58
NOTES ON AFRICAN GRASSES : XXIX ... ..	65
THE GENERIC NAME ACHYRANTHES ... ..	73
FERNS OF MALAYA (REV.) ... ..	74
NOTES ON MIMOSOIDEAE : III ... ..	75
OXFORDSHIRE FUNGI ... ..	97
MALAYAN ORCHID HYBRIDS (REV.) ... ..	106
AFRICAN ORCHIDS : XXIV ... ..	107
GLADIOLI AND DAHLIAS (REV.) ... ..	126
AUSTRALASIAN BASIDIOMYCETES : III ... ..	127
AN AFRICAN ODONTOSORIA ... ..	143
REVISION OF OXYGONUM ... ..	145
FIELD GUIDE TO FERNS (REV.) ... ..	172
SOME SPECIES OF CLEOME ... ..	173
TYPIIFICATION OF HAYNEA OVALIFOLIA ... ..	175
No. 2. NOTES ON THE FLORA OF 'IRAQ: III ... ..	177
ELEMENTARY TROPICAL BOTANY (REV.) ... ..	224
TWO NEW GENTIANAS ... ..	225

	<i>page</i>
NEW NAMES IN MONIMIACEAE ... ..	228
NOTES ON AFRICAN ROSACEAE : I ... ..	229
A MANUAL FOR THE COFFEE-PLANTER (REV.) ... ..	231
NOTES ON ASIATIC GRASSES : XXVII ... ..	233
METHODS OF PLANT PROPAGATION (REV.) ... ..	235
A NEW SPECIES OF OXYGONUM ... ..	236
ENCEPHALARTOS IN CENTRAL AFRICA ... ..	237
YOUR NEW GARDEN (REV.)... ..	257
GARDENING BOOKS (REV.) ... ..	258
NOTES ON ASIATIC ORCHIDS : II ... ..	259
THE GENUS CROCUS IN ISRAEL ... ..	269
THE MONOCOTYLEDONS OF THE ALBERT NATIONAL PARK (REV.) ... ..	285
SOME MARASMIOD TROPICAL FUNGI ... ..	287
A NEW SPECIES OF MARSILEA FROM POONA ... ..	293
FLORISTS AURICULAS AND GOLD-LACED POLYANTHUS (REV.)	295
NOMENCLATURAL NOTES : I ... ..	296
TROPICAL AMERICAN XYLARIACEAE ... ..	297
TWO NEW BRITISH HYBRID PONDWEEDS ... ..	332
NOTES FROM THE EAST AFRICAN HERBARIUM : V ... ..	333
NOMENCLATURAL NOTES : II ... ..	356
No. 3.	
NOTES ON MIMOSOIDEAE : IV ... ..	357
A SECOND SPECIES OF UROMYCES ON BRITISH SPURGES ... ..	372
REHABILITATION OF NARCISSUS CANTABRICUS ... ..	373
RUST NEW TO THE BRITISH ISLES ... ..	386
A NEW NAME IN RUBIACEAE ... ..	386
A NOTE ON SPHAEROCOMA ... ..	387
CONTRIBUTIONS TO THE FLORA OF AUSTRALIA : IV ... ..	389
SERRATULA IN CRETE ... ..	391
MUSHROOMS, RUSSIA AND HISTORY (REV.) ... ..	392
TWO SPECIES OF MARASMIUS FROM BRASIL ... ..	395
NEW OR INTERESTING AUSTRALIAN DISCOMYCETES ... ..	397
NEW BRITISH FUNGI ... ..	399
NOTES ON AFRICAN ROSACEAE : II ... ..	405
CLIMBING AND TRAILING PLANTS FOR THE GARDEN (REV.)	407
TWO INTERESTING SCOTTISH RUSTS ... ..	408
NOMENCLATURAL NOTES : III ... ..	409
NEW SPECIES OF AMAZONIA ... ..	410
NOTES ON ASIATIC GRASSES : XXVIII ... ..	411
NOTES ON ASIATIC GRASSES : XXIX ... ..	414
NOTES ON ASIATIC GRASSES : XXX ... ..	418



	<i>page</i>
NEW SPECIES IN PEPEROMIA ... ..	421
THE GARDEN FRAME (REV.) ... ..	422
GARDEN PLANNING (REV.) ... ..	422
TWO NEW SPECIES OF MICROTHYRIELLA IN BRITAIN ...	423
NOTES ON ASIATIC GRASSES : XXXI ... ..	425
DISEASES OF GARDEN PLANTS (REV.) ... ..	427
NOTES ON AFRICAN ROSACEAE : III ... ..	428
IDIOPTERIS : A NEW GENUS OF FERNS FROM CEYLON ...	429
TOWN GARDENING (REV.) ... ..	432
THE GENUS HYPERICUM IN AFRICA SOUTH OF THE SAHARA	433
MYCOLOGICAL LITERATURE (REV.) ... ..	446
MENISPERMACEAE OF MALAYSIA : II ... ..	447
SCHIMPER'S FIRST VISIT TO THE SEMIEN RANGE ...	460
THE AMATEUR'S GREENHOUSE (REV.) ... ..	460
NOTES ON THE FLORA OF 'IRAQ : IV ... ..	461
NOTES ON AFRICAN ROSACEAE : IV ... ..	498
PRUNING (REV.) ... ..	498
AMATEUR GARDENING ANNUAL (REV.) ... ..	498
ULMUS CANESCENS ... ..	499
THE IDENTITY OF FERONIELLA PUBESCENS ... ..	503
POISONS AND PICTURES (REV.) ... ..	504

# INDEX

- Acacia abyssinica* Hochst. ex Benth., 81.  
 ——— subsp. *abyssinica*, 82.  
 ——— subsp. *calophylla*  
 Brenan, 82.  
 ——— *adansonii* Guill. et Perr., 85.  
 ——— *arabica* (Lam.) Willd. var. *indica*  
 Benth., 84.  
 ——— var. *kraussiana* Benth., 84.  
 ——— var. *tomentosa* Benth., 84.  
 ——— *bullockii* Brenan, 77.  
 ——— var. *bullockii*, 78.  
 ——— var. *induta* Brenan, 78.  
 ——— *clavigera* E. Mey., 365, 367.  
 ——— subsp. *clavigera*, 367.  
 ——— subsp. *usambarensis* (Taub.)  
 Brenan, 369.  
 ——— *elatii* Brenan, 94.  
 ——— subsp. *elatii*, 95.  
 ——— subsp. *turkanae* Brenan 95  
 ——— *eriocarpa* Brenan, 360.  
 ——— *erythrophloea* Brenan, 76.  
 ——— *etbaica* Schweinf., 90, 91.  
 ——— subsp. *australis* Brenan, 92.  
 ——— subsp. *etbaica*, 91.  
 ——— subsp. *platycarpa* Brenan,  
 93.  
 ——— subsp. *uncinata* Brenan, 91.  
 ——— *fasciculata* Guill. et Perr., 87.  
 ——— *gerrardii* Benth., 369.  
 ——— var. *calvescens* Brenan, 370.  
 ——— var. *gerrardii*, 369.  
 ——— var. *latisiliqua* Brenan,  
 369.  
 ——— *hebecladoides* Harms., 369.  
 ——— *heteracantha* Burch., 88.  
 ——— *kirkii* Oliv., 361, 363.  
 ——— subsp. *kirkii* var. *inter-*  
*media* Brenan, 363.  
 ——— subsp. *kirkii* var. *kirkii*,  
 363.  
 ——— subsp. *kirkii* var. *sublaevis*  
 Brenan, 363.  
 ——— subsp. *mildbraedii* (Harms)  
 Brenan, 364.  
 ——— *litakunensis* Burch., 88.  
 ——— *maras* Engl., 88.  
 ——— *mbuluensis* Brenan, 79.  
 ——— *mildbraedii* Harms, 364.  
 ——— *misera* Vatke, 90.  
 ——— *nilotica* (L.) Del., 83.  
 ——— (L.) Del. subsp. *adansonii*  
 (Guill. et Perr.) Brenan, 85.  
 ——— subsp. *indica* (Benth.)  
 Brenan, 84.  
 ——— subsp. *kraussiana* (Benth.)  
 Brenan, 84.  
 ——— subsp. *leiocarpa* Brenan,  
 84.  
 ——— subsp. *nilotica*, 84.  
 ——— subsp. *subalata* (Vatke)  
 Brenan, 85.  
 ——— *tomentosa* (Benth.) Brenan,  
 84.  
 ——— var. *adansoniana* (Dubard)  
 A. F. Hill, 85.  
 ——— var. *adansonii* (Guill. et  
 Perr.) O. Ktze., 85.  
 ——— var. *indica* (Benth.) A. F.  
 Hill.  
 ——— var. *kraussiana* (Benth.),  
 A. F. Hill, 84.  
 ——— var. *nilotica*, 84.  
 ——— var. *tomentosa* (Benth.),  
 A. F. Hill, 84.  
 ——— var. *typica* A. F. Hill, 84.  
 ——— *pappii* Gandoger, 88.  
 ——— *petersiana* Vatke var. ?, 91.  
 ——— *raddiana* Savi, 87.  
 ——— *reficiens* Wawra, 89, 90.  
 ——— subsp. *misera* (Vatke)  
 Brenan, 90.  
 ——— subsp. *reficiens*, 90.  
 ——— *robusta* Burch., 365.  
 ——— *spirocarpa* Hochst. ex A. Rich., 88.  
 ——— var. *major* Schweinf., 88.  
 ——— ex A. Rich. var. *minor*  
 Schweinf., 87.  
 ——— *spirocarpoides* Engl., 88.  
 ——— *subalata* Vatke, 85.  
 ——— *taitensis* Vatke, 85.  
 ——— *tortilis* (Forsk.) Hayne, 86.  
 ——— f. *raddiana* (Savi)  
 Roberty, 87.  
 ——— f. *spirocarpa* (Hochst.  
 ex A. Rich.) Roberty, 88.  
 ——— subsp. *heteracantha*  
 (Burch.) Brenan, 88.  
 ——— subsp. *raddiana* (Savi)  
 Brenan, 87.  
 ——— subsp. *raddiana* var.  
*pubescens* A. Chev., 87.  
 ——— subsp. *spirocarpa*  
 (Hochst. et A. Rich.) Brenan, 88.  
 ——— subsp. *tortilis*, 86.  
 ——— *turnbulliana* Brenan, 370.  
 ——— *usambarensis* Taub., 365, 369.  
 ——— *verrucifera* Harms, 363.  
 ——— *xiphocarpa* Hochst. ex Benth., 82.  
 ——— *zanzibarica* (S. Moore) Taub., 75.  
 ——— var. *zanzibarica*, 75.  
 ——— var. *microphylla* Bren-  
 an, 75.  
*Acanthophyllum* C.A.M., 180.  
 ——— *caespitosum* Boiss., 180.  
 ——— *crassifolium* Boiss., 180.  
 ——— *kurdicum* Boiss. et Haussk., 180.  
 ——— *tournefortii* Fenzl, 181.  
 ——— *verticillatum* (Willd.) Hand.-Mazz.,  
 181.  
*Achyranthes* : a correction, A. A. Bullock,  
 296.  
 ——— The application of the generic name,  
 A. A. Bullock, 73.  
 Additions & Corrections to Flora of  
 Iraq : II, 218-224.  
*Aellenia auricula* (Moq.) Ulbrich var.  
*acutifolia* (Moq.) Ulbrich, 487.

- Aellenia glauca* (M.B.) Aellen, 490.  
 — *hierochuntica* (Bornm.) Aellen, 490.  
 — *lancifolia* (Boiss.) Ulbrich, 492.  
 — *subaphylla* (C.A.M.) Aellen, 493.  
*Aerva javanica* (Burm. f.) Spreng., 462.  
 — *persica* (Burm. f.) Merrill, 462.  
 — *tomentosa* Forsk., 462.  
 Africa, Encephalartos in Central, R. Melville, 237.  
 African Celastraceae, III: Notes on, R. A. Blakelock, 37.  
 — Grasses: XXV, Notes on, C. E. Hubbard, 51.  
 — XXVI, Notes on, C. E. Hubbard, 52.  
 — XXVII, Notes on, C. E. Hubbard, 54.  
 — XXVIII, Notes on, C. E. Hubbard, 58.  
 — XXIX, Notes on, J. Kennedy-O'Byrne (with fig. and tables), 65.  
 — Odontosoria, F. Ballard (with fig.), 143.  
 — Orchids: XXIV, V. S. Summerhayes, 107.  
 — Rosaceae, I: Notes on, R. A. Graham, 229.  
 — II, Notes on, R. A. Graham, 405.  
 — III, Notes on, R. A. Graham, 428.  
 — IV, Notes on, R. A. Graham, 498.  
*Agathophora alopecuroides* (Del.) Bunge, 471.  
*Agrostis burmanica* Bor, 416.  
 — *mackliniae* Bor, 417.  
*Alchemilla ellenbeckii* Engl., 406.  
 — ssp. *ellenbeckii*, 406.  
 — ssp. *nyikensis* (De Wild.) R. A. Grah., 406.  
*Alternanthera sessilis* (L.) R. Br., 463.  
*Amaranthus* L., 463.  
 — *albus* L., 464.  
 — *angustifolius* Lam. subsp. *gracizans* (L.) Thell., 464.  
 — *caudatus* L., 464.  
 — *gracizans* L. var. *gracizans*, 464.  
 — — var. *sylvestris* (Vill.) Asch. ex Schweinf., 464.  
 — *hybridus* L. var. *paniculatus* (L.) Thell., 464.  
 — *tricolor* L. subvar. *gangeticus* (L.) Thell., 465.  
 — *viridis* L. (A. gracilis Desf.), 465.  
 — *sylvestris* Vill., 464.  
 Amateur Gardening Annual 1958. Edited by A. G. L. Hellyer, 498.  
 Amazonia: A New Species of, C. G. Hansford, 410.  
*Amazonia novae-caledoniae* Hans., 410.  
*Ankyropetalum gypsophiloides* Fenzl, 193.  
*Anabasis* L., 472.  
 — *ammodendron* C.A.M. ex Ledeb., 483.  
 — *articulata* (Forsk.) Moq., 472.  
 — *setifera* Moq., 473.  
*Anthracobia humillima* Malençon, 400.  
*Apocypis anomalus* Bor, 415.  
 — *floccosus* Bor, 414.  
 Application of the generic name *Achyranthes*, A. A. Bullock, 73.  
*Arbulocarpus* Tennant, 386.  
 — *sphaerostigma* (A. Rich.) Tennant, 386.  
*Archeria comberi* Melville, 389.  
*Arenaria* L., 181.  
 — *balansae* Boiss., 182.  
 — *leptoclados* (Reichb.) Guss., 182.  
 — *sabulinea* Griseb. var. *brevipes* Bornm., 183.  
 — *verticillata* Willd., 181.  
*Arundinaria macchreana* Bor, 420.  
 — *wardii* Bor, 418.  
*Arundinella effusa* C. E. Hubbard, 63.  
 Asiatic Grasses, XXVIII: Notes on, N. L. Bor, 411.  
 — XXIX: Notes on, N. L. Bor, 415.  
 — XXX: Notes on, N. L. Bor, 419.  
 — XXXI: Notes on, N. L. Bor and C. E. Hubbard (with fig.), 425.  
 — Orchids, II: Notes on, V. S. Summerh., 259.  
*Atriplex* L., 474.  
 — *dimorphostegia* Kar. et Kir., 475.  
 — *flabellum* Bunge ex Boiss., 475.  
 — *hortensis* L. subsp. *nitens* (Schkuhr) Pons, 475.  
 — *lasiantha* Boiss., 475.  
 — *olivieri* Moq., 476.  
 — *tatarica* L. var. *virgata* Boiss., 475.  
 — *thunbergifolia* (Boiss. et Noë) Boiss., 476.  
 Australasian Basidiomycetes, III: New or Interesting Records of, Derek A. Reid (with figs.), 127.  
 Australian Discomycetes: New or Interesting, R. W. G. Dennis (with figs.), 397.  
 Ballard, F.: An African Odontosoria, 143.  
 — New African Ferns (with fig.), 47.  
*Barlaea calcarata* (Rchb. f.) Rchb. f., 107.  
*Bassia* All., 476.  
 — *eriphora* (Schrud.) Aschers., 476.  
 — *muricata* (L.) Aschers., 476.  
*Bersama abyssinica* Fresen. subsp. *paulinioides* (Planch.) Verdcourt var. *ugandensis* (Sprague) Verdcourt, 351.  
 — *ugandensis* Sprague, 351.  
*Bertiera pauloi* Verdcourt, 352.  
*Beta vulgaris* L., 477, 478.  
 — — subsp. *lomatogonoides* Aellen, 477.  
 — — ssp. *maritima* (L.) Thell. var. *foliosa* (Ehrenbg.) Aellen, 477.  
 — — subsp. *maritima* (L.) Thell. var. *glabra* (Del.) Aellen, 478.  
 — — subsp. *vulgaris*, 478.  
*Bienertia cycloptera* Bunge, 478.  
 Blakelock, R. A.: Notes on African Celastraceae, III, 37.  
 — Notes on the Flora of 'Iraq: III with Keys, 177.  
 — Notes on the Flora of 'Iraq: IV with Keys, 461.  
*Bonamia schizantha* (Hallier f.) Meeuse, 343.



- Book Reviews:—Amateur's Greenhouse, The, by A. J. Macself, 460.
- Auriculas and Gold-laced Polyanthus, Florists', by C. G. Haysom, 295.
- Border Carnations. "Amateur Gardening" Handbook no. 25, by J. H. W. Galbally, 258.
- Bulbs. "Amateur Gardening" Handbook no. 26, by J. P. Wood, 258.
- Class-book of Botany, A, by A. C. Dutta, 224.
- Climbing and Trailing Plants, S. A. Pearce, 407.
- Diseases of Garden Plants, by A. Beaumont, 427.
- Field Guide to the Ferns, A, by Boughton Cobb, 172.
- Flora of Malaya II, Ferns of Malaya, by Prof. R. E. Holttum, 74.
- Flore des Spermatophytes du Parc National Albert, III, Monocotylées by Walter Robyns et Roland Tournay, 285.
- Garden Frame, The, by L. N. Flawn, 422.
- Garden Planning, by S. J. Poole, 422.
- Gladioli and Dahlias, by Chas. W. J. Unwin, 126.
- Indoor Plants. "Amateur Gardening" Picture Book no. 8, by A. J. Huxley, 258.
- In the Flower Garden with Percy Thrower of T.V. Gardening Club, 258.
- Lilies. "Amateur Gardening" Handbook no. 21, by J. G. Campbell.
- Malayan Orchid Hybrids, by M. R. Henderson & G. H. Addison, 106.
- Modern Coffee Production, by A. E. Haarer, 231.
- Mushrooms, Russia and History, by V. P. and R. G. Wasson, 392.
- New Garden, Your, by A. G. L. Hellyer, 258.
- Pictorial Plant Propagation by G. F. Gardiner, 235.
- Plants in Action, by L. Machlin and J. G. Torrey, 49.
- Pruning. 'Amateur Gardening' Book no. 9, by J. P. Wood, 498.
- Raspberries and Loganberries. "Amateur Gardening" Handbook no. 20, by Hilary M. Hughes.
- Storage of Seeds for the Maintenance of Viability, The, by E. Biasutti Owen, with chapter on the genetic aspects of seed storage by T. Ashton, 40.
- Thesaurus literaturae mycologicae et lichenologicae, Supplementum 1911-1930, A-D, by R. Ciferri, 446.
- Town Gardening Successful, by Lanning Roper, 432.
- Toxic plants of Western Australia, The, by C. A. Gardner & H. W. Bennetts, 504.
- Wild Flowers, How to know Western Australian Part II, by W. E. Blackall & B. J. Grieve, 46.
- Booth, C. : Two New Species of Microthyriella in Britain (with fig.), 423.
- Bor, N. L. Notes on Asiatic Grasses : XXVII, 233.
- XVIII, 411.
- XXIX, 414.
- XXX, 419.
- and C. E. Hubbard : Notes on Asiatic Grasses, XXXI (with fig.), 425.
- Boudiera areolata* Cooke & Phillips var. *macrospora* Dennis, 397.
- Bougainvillea glabra* Choisy, 462.
- Brenan, J. P. M. : Notes on Mimosoideae III, 75.
- IV (with table), 357.
- Breweria fastigiata* Balf. f., 344.
- Buffonia* L., 183.
- *calycina* Boiss. et Haussk., 183.
- *multiceps* Decne., 183.
- Bulbophyllum africanum* A. D. Hawkes, 115.
- *albidum* De Wildem., 115.
- *amplum* (Lindl.) Rchb. f., 260.
- *breviscapum* (Rolfe) Ridl., 268.
- *buntingii* Rendle, 112.
- *calamarium* Lindl., 112.
- *calypttratum* Kraenzl., 116.
- *cercoglossum* Summerh., 122.
- *chevalieri* De Wildem., 117.
- *ciliatum* Schltr., 121.
- *congolatum* Schltr., 117.
- *distans* Lindl., 113.
- *djumaense* (De Wildem.) De Wildem., 120.
- ? — *eburneum* (Pfitz. ex Kraenzl.) De Wildem., 117.
- *ellipticum* De Wildem., 112.
- *fuscescens* (Griff.) Rchb. f., 262.
- *gentilii* Rolfe, 115.
- *graminifolium* Summerh., 117.
- *jespersenii* De Wildem., 117.
- *kindtianum* De Wildem., 113.
- *lasiochilum* Par. & Rchb. f., 268.
- *leucopogon* Kraenzl., 115.
- *lindleyi* (Rolfe) Schltr., 116.
- *lucifugum* Summerh., 119.
- *maximum* (Lindl.) Rchb. f., 120.
- *modicum* Summerh., 114.
- *nigritianum* Rendle, 115.
- *nudiscapum* Rolfe, 114.
- *nyassanum* Schltr., 121.
- *oxypterum* (Lindl.) Rchb. f., 121.
- *parvum* Summerh., 122.
- *planixae* J. B. Petersen, 116.
- *pobeguinii* (Finet) De Wildem., 117.
- *porphyroglossum* Kraenzl., 115.
- *renkinianum* (M. Laurent) De Wildem., 122.
- *rhizophorae* Lindl., 123.
- *rotundatum* (Lindl.) Rchb. f., 264.
- *rubro-violaceum* De Wildem., 123.
- *schinzianum* Kraenzl., 115.
- *triadenium* (Lindl.) Rchb. f., 265.
- *zenkerianum* Kraenzl., 116.
- *zobiaense* De Wildem., 117.
- Bullock, A. A. : Nomenclatural Notes, II, 356.
- III, 409.
- The application of the generic name *Achyranthes*, 73.

- Bussea eggelingii* Verdcourt, 350.  
*Callista cymbidioides* (Bl.) Kuntze, 261.  
*Camillea* Fries, 315.  
     — *bacillum* (Mont.) Mont., 318.  
     — *bilabiata* Speg., 320.  
     — *bomba* (Mont.) Lloyd, 325.  
     — *cyclops* (Mont.) Berk. & Curt., 319.  
     — *globosa* (Lév.) Lloyd, 324.  
     — *labellum* Mont., 319.  
     — *leprieurii* (Mont.) Mont., 317.  
     — *mucronata* Mont., 320.  
     — *poculiformis* (Mont.) Lloyd, 322.  
     — *sagraeana* (Mont.) Berk. & Curt., 324.  
     — *surinamensis* Berk. & Curt., 325.  
     — *turbinata* (Berk.) Speg., 323.  
*Cardiopteridaceae* Blume, 356.  
*Cardiopteris javanica* Bl., 356.  
     — *lobata* Wall. ex Bennet, 356.  
     — *molucaana* Bl., 356.  
     — *rumphii* Baill., 356.  
Cavaco, A.: A new combination in *Ephippiandra* and a new species of *Tambourissa* (Monimiaceae), 228.  
*Cebatha pubescens* (F. v. M.) Kuntze, 458.  
*Celastrus concinnus* N. E. Brown, 37.  
     — *mossambicensis* Klotzsch, 37.  
     — *ruber* Harvey ex Harvey et Sond., 38.  
*Cephalostachyum scandens* Bor, 419.  
*Cerastium* L., 184.  
     — *brachypetalum* Desf., 185.  
     — *cerastoides* (L.) Britton var. *parviflorum* (Ledeb.) Bornm., 185.  
     — *dichotomum* L., 185.  
     — *elbrusense* Boiss., 185.  
     — *fragillimum* Boiss., 186.  
     — *glomeratum* Thuill., 186.  
     — *semidecandrum* L., 186.  
*Ceratogomum atriplicifolium* Meisn., 162.  
     — *cordofanum* Meisn., 159.  
*Chaetostichium majusculum* C. E. Hubbard, 60.  
*Cheilanthes heterophylla* Willd. ex Klf., 47.  
     — *similis* F. Ballard, 47.  
*Chenopodium* L., 479.  
     — *baryosmum* Roem. et Schultes, 488.  
     — *urbitum* L., 480.  
*Chlaenaceae* Thouars, 410.  
*Chrysochloa annua* C. E. Hubbard, 59.  
*Cirrhopetalum breviscapum* Rolfe, 268.  
     — *lasiophilum* (Par. et Rchb. f.) Hook. f., 268.  
*Cissampelos ovata* Poir., 458.  
Cleome, Some species of, S. M. H. Jafri, 173.  
*Cleome dolichostyla* Jafri, 174.  
     — *griffithiana* Rech. f., 174.  
     — *ornithopodioides* L., 175.  
     — *rupicola* Vicary, 174.  
*Clithris juniperi* (Karst.) Rehm, 401.  
*Coccomyces juniperi* Karst., 401.  
*Cocculus blumei* Boerl., 448.  
     — *brachystachyus* DC., 458.  
     — *leptostachyus* DC., 458.  
     — *limacia* DC., 449.  
     — *plukenetii* DC., 458.  
*Colpoma juniperi* (Karst.) Dennis, 401.  
     — *juniperinum* Rehm, 401.  
*Convolvulus agrestis* (Schweinf.) Hallier f., 344.  
     — *aschersoni* Engl., 345.  
     — *fastigiatus* (Balf. f.) Hallier f., 344.  
     — *jefferyi* Verdcourt, 344.  
     — *sagittatus* Thunb. var. *abyssinica* (Hallier f.) Rendle, 345.  
         — var. *aschersoni* (Engl.) Verdcourt, 345.  
         — var. *parviflorus* Hallier f. subvar. *abyssinica* Hallier f., 345.  
         — var. *parviflorus* Hallier f. subvar. *villosa* Hallier f., 345.  
         — var. *ulosepalus* (Hallier f.) Verdcourt, 346.  
         — var. *villosus* (Hallier f.) Rendle, 345.  
     — *siaculus* L. subsp. *agrestis* (Schweinf.) Verdcourt, 344.  
     — *socotranus* Verdcourt, 344.  
     — *thomsoni* Baker, 346.  
     — *ulosepalus* Hallier f., 346.  
*Cordia suckertii* Chiov. var. *exasperata* Verdcourt, 333.  
*Coriolum peradeniae* (Berk. & Br.) G. H. Cunn., 135.  
*Cornulaca* Delile, 480.  
     — *leucantha* Charif et Aellen, 480.  
     — *setifera* (DC.) Moq., 481.  
*Crimipellis ochraceo-papillatus* (P. Henn.) Dennis, 395.  
Contributions to the Flora of Australia: IV, R. Melville (with fig.), 389.  
*Corbularia cantabrica* Haw., 380.  
     — *monophylla* Dur., 381.  
*Crinipes* Hochst., 56.  
     — *abyssinicus* (Hochst. ex A. Rich.) Hochst., 56.  
     — *longifolius* C. E. Hubbard, 57.  
     — *longipes* C. E. Hubbard, 52.  
Crocus in Israel and Neighbouring Countries, The Genus; Naomi Feinbrun, 269.  
*Crocus aleppicus* Baker, 279.  
     — *cancellatus* Herbert, 278.  
     — *cilicicus* Ky., 278.  
     — *damascenus* Herb., 279.  
     — *dispathaceus* Bowles, 275.  
     — *edulis* Boiss. & Bl., 279.  
     — *elwesii* (Maw) O. Schwarz, 272.  
     — *gaillardoti* (Boiss. & Bl.) Maw, 279.  
     — *haussknechtii* Boiss. et Reut., 275.  
     — *hermoneus* Ky. ex Maw, 280.  
     — *hyemalis* Boiss. et Bl., 283.  
     — *kotschyanus* C. Koch, 270.  
     — *libanoticus* Mont., 272.  
     — *ochroleucus* Boiss. et Gaill., 269.  
     — *marcobolbos* Jovet et Gombault, 275.  
     — *mazziaricus* Herb., 278.  
     — *moabiticus* Bornm. et Dinsmore, 276.  
     — *olbanus* Siehe, 272.  
     — *oreoreticus* Burt, 272.  
     — *palaestinus* Feinbr., 280.  
     — *pylarum* J. Gay, 278.  
     — *sativus* var. *elwesii* Maw, 272.  
     — var. *haussknechtii* Maw, 275.  
     — *spruneri* Bois & Heldr., 278.  
     — *thiebautii* Mont., 272.  
     — *zonatus* J. Gay, 270.



- Cuscuta abyssinica* A. Rich., 337.  
 ——— var. *ghindensis* Yuncker, 337.  
 ——— *cassytoides* Engelm., 337.  
 ——— *madagascariensis* Yuncker, 337.  
 ——— *planiflora* Tenore var. *abyssinica* (A. Rich.) Verdcourt, 337.  
 ——— var. *holstii* Rendle, 337.  
 ——— var. *madagascariensis* (Yuncker) Meeuse, 337.  
 ——— *suaveolens* Seringe, 336.  
 Cyatheaceae: The Scales of, R. E. Holtum (with figs.), 41.  
*Cynorchis anacamptoides* Kraenzl., 107.  
 ——— *anisoloba* Summerh., 108.  
 ——— *barlaea* Schltr., 107.  
 ——— *gymnadenoides* Schltr., 107.  
 ——— *hanningtonii* Rolfe, 109.  
 ——— *johnsonii* Rolfe, 109.  
 ——— *micrantha* Schltr., 107.  
 ——— *platylepoides* Kraenzl., 107.  
*Cynocrambe prostrata* Gaertn., 497.  
*Cyphella heveae* Massee, 287.  
*Cyphella pulchra* Berk. et Br., 290.  
*Dacryobolus sudans* (A. & S. ex Fr.) Fr., 134.  
 Dandy, J. E. and G. Taylor: Two new British Hybrid Pondweeds, 332.  
*Danthonia abyssinica* Hochst. ex A. Rich., 56.  
 ——— *himalaica* Hook. f., 427.  
 ——— *tenuigumis* Steud., 56.  
*Dasycodon manganjæ* (Hiern) Verdcourt, 353.  
*Dasyscyphus heveae* (Massee) Dennis et Reid, 287.  
*Deflexula fascicularis* (Bres. & Pat.) Corner, 132.  
 ——— *lilaceo-brunnea* Corner, 133.  
 ——— Corner var. *elongata* Corner, 133.  
*Dendrobium acuminatum* Rolfe, 260.  
 ——— *amplum* Lindl. ex Wall, 260.  
 ——— *brevibulbum* J. J. Sm., 264.  
 ——— *cacuminis* Gagnep., 260.  
 ——— *citrino-castaneum* Burkill, 266.  
 ——— *coelogyne* Rchb. f., 261.  
 ——— *cymbidioides* (Bl.) Lindl., 261.  
 ——— *dempoense* J. J. Sm., 261.  
 ——— *elongatum* (Bl.) Lindl., 261.  
 ——— *fargesii* Finet, 262.  
 ——— *fuscescens* Griff., 262.  
 ——— *geminatum* (Bl.) Lindl., 262.  
 ——— *interruptum* J. J. Sm., 266.  
 ——— *kinabaluense* Ridl., 262.  
 ——— *labuanum* Lindl., 262.  
 ——— *laurifolium* (Kraenzl.) J. J. Sm., 263.  
 ——— *longipes* Hook. f., 263.  
 ——— *lyonii* Ames, 263.  
 ——— *macropodium* Hook. f., 263.  
 ——— *marginatum* Teysm. & Binn., 261.  
 ——— *muricatum* Finet, 267.  
 ——— *nakaharæi* Schltr., 263.  
 ——— *parvulum* Rolfe, 267.  
 ——— *perakense* Hook. f., 267.  
 ——— *prasinum* Lindl., 267.  
 ——— *quinquecallosum* J. J. Sm., 264.  
 ——— *radicosum* Ridl., 264.  
 ——— *rotundatum* (Lindl.) Hook. f., 264.  
 ——— *sanseiiense* Hayata, 264.  
 ——— *simplex* J. J. Sm., 264.  
 ——— *speculum* J. J. Sm., 264.  
 ——— *stella-silvae* (Loher & Kraenzl.), Ames, 265.  
 ——— *sulphuratum* Ridl., 266.  
 ——— *treacherianum* Rchb. f. ex Hook. f., 265.  
 ——— *triflorum* (Bl.) Lindl., 265.  
 ——— *uncipes* J. J. Sm., 265.  
 ——— *verruciferum* J. J. Sm., 266.  
 ——— *wichersii* Schltr., 266.  
 ——— *zebrinum* J. J. Sm., 266.  
 Dennis, R. W. G.; Further Notes on Tropical American Xylariaceae, 297.  
 ——— New British Fungi (with figs.), 399.  
 ——— New or Interesting Australian Discomycetes (with figs.), 397.  
 ——— Two Species of *Marasmius* described by Hennings from South Brasil, (with figs.), 395.  
 ——— and D. A. Reid: Some Marasmioid Fungi allegedly parasitic on leaves and twigs in the tropics (with figs.), 287.  
 ——— and N. Y. Sandwith: A Second Species of *Uromyces* on British Spurge, 372.  
*Desmotrichum cymbidioides* Bl., 261.  
 ——— *elongatum* Bl., 261.  
 ——— *fargesii* (Finet) Kraenzl., 262.  
 ——— *geminatum* Bl., 262.  
 ——— *triflorum* Bl., 265.  
*Deyeuxia nepalensis* Bor., 411.  
*Dianthus* L., 186.  
 ——— *anatolicus* Boiss., 188.  
 ——— *basianicus* Boiss. et Hausskn., 188.  
 ——— *floribundus* Boiss., 188.  
 ——— ——— var. *pruinusosus* Boiss., 188.  
 ——— *judaicus* Boiss., 188.  
 ——— *orientalis* Adam, 189.  
 ——— ——— var. *brachyodontus* (Boiss. et Huet) Bornm., 189.  
 ——— ——— var. *macroptetalus* (Boiss.) Bornm., 189.  
 ——— *pendulus* Boiss. et Bl., 189.  
*Diatrype artocreas* Cooke & Massee, 319.  
*Dichrostachys* (DC.) Wight et Arn., 357.  
 ——— *cinerea* (L.) Wight et Arn., subsp. *cinerea*, 358.  
 ——— subsp. *nyassana* (Taub.) Brenan, 358.  
 ——— *glomerata* (Forsk.) Chiov., 358.  
 ——— subsp. *nyassana* (Taub.) Brenan, 358.  
*Diploclonchium hochstetteri* Stocks, 349.  
 ——— *sesuvioides* Fenzl, 349.  
*Dolichometra leucantha* K. Schum., 354.  
*Dothidea juniperi* Desm., 402.  
 East African Herbarium: V. Notes from the, Bernard Verdcourt (with map), 333.  
*Eichleriella spinulosa* (Berk. & Curt.) Burt, 129.  
*Eleusine africana* Kennedy-O'Byrne, 65.  
 Ellis, E. A.: Two interesting Scottish rusts, 408.  
 Encephalartos in Central Africa, R. Melville (with figs.), 237.  
*Encephalartos barteri* Carruth. ex Miq., 243.  
 ——— *bulbalinus* Melville, 252.

- Encephalartos gratus* Prain, 255.  
 ——— var. *manikensis* Gilliland, 256.  
 ——— *hildebrandtii* A. Br. et Bouché, 246.  
 ——— var. *dentatus* Melville, 248.  
 ——— var. *hildebrandtii*, 247.  
 ——— *laurentianus* De Wild., 248.  
 ——— Auctt. non De Wild., 246.  
 ——— *lemarinellianus* De Wild., 245.  
 ——— *manikensis* (Gilliland) Gilliland, 256.  
 ——— *poggei* Aschers, 245.  
 ——— *septentrionalis* Schweinf., 244.  
 ——— *tegulaneus* Melville, 249.  
*Encoelia toomansii* (Berk. et Br.) Dennis, 398.  
*Ephippiandra* and a new species of Tambourissa (Monimiaceae): A new combination in, 228.  
*Ephippiandra microphylla* (Perk.) Cavaco, 228.  
*Epigeneium acuminatum* (Rolfe) Summerh., 260.  
 ——— *amplum* (Lindl.) Summerh., 260.  
 ——— *acuminis* (Gagnep.) Summerh., 260.  
 ——— *chapaense* Gagnep., 261.  
 ——— *clemensiae* Gagnep., 261.  
 ——— *coelogyne* (Rchb. f.) Summerh., 261.  
 ——— *cybidioides* (Bl.) Summerh., 261.  
 ——— *delaourii* Gagnep., 261.  
 ——— *dempoense* (J. J. Sm.) Summerh., 261.  
 ——— *elongatum* (Bl.) Summerh., 261.  
 ——— *fargesii* (Finet) Gagnep., 262.  
 ——— *fuscescens* (Griff.) Summerh., 262.  
 ——— *geminatum* (Bl.) Summerh., 262.  
 ——— *kinabaluense* (Ridl.) Summerh., 262.  
 ——— *labuanum* (Lindl.) Summerh., 262.  
 ——— *laurifolium* (Kraenzl.) Summerh., 263.  
 ——— *longipes* (Hook. f.) Summerh., 263.  
 ——— *lyonii* (Ames) Summerh., 263.  
 ——— *macropodum* (Hook. f.) Summerh., 263.  
 ——— *nakaharaei* (Schltr.) Summerh., 263.  
 ——— *pulchellum* (Ridl.) Summerh., 264.  
 ——— *quinquecallosum* (J. J. Sm.) Summerh., 264.  
 ——— *radicosum* (Ridl.) Summerh., 264.  
 ——— *rotundatum* (Lindl.) Summerh., 264.  
 ——— *sanseiense* (Hayata) Summerh., 264.  
 ——— *simplex* (J. J. Sm.) Summerh., 264.  
 ——— *speculum* (J. J. Sm.) Summerh., 264.  
 ——— *stella-silvae* (Loher & Kraenzl.) Summerh., 264.  
 ——— *suberectum* (Ridl.) Summerh., 265.  
 ——— *treacherianum* (Rchb. f. ex Hook. f.) Summerh., 265.  
 ——— *triadenium* (Lindl.) Summerh., 265.  
 ——— *triflorum* (Bl.) Summerh., 265.  
 ——— *uncipes* (J. J. Sm.) Summerh., 265.  
 ——— *verruciferum* (Rolfe) Summerh., 266.  
 ——— *wichersii* (Schltr.) Summerh., 266.  
 ——— *zebrinum* (J. J. Sm.) Summerh., 266.  
*Eragrostis trepidula* C. E. Hubbard, 58.  
*Eria javanica* (Sw.) Bl., 267.  
 ——— *longerepens* Ridl., 267.  
*Erianthus williamsii* Bor, 413.  
*Eulalia staintonii* Bor, 411.  
*Eulaliopsis sykesii* Bor, 412.  
*Eulophia ischna* Summerh., 125.  
 ——— *ledermannii* Kraenzl., 125.  
 ——— *lindiana* Kraenzl., 125.  
 ——— *macra* Schltr., 125.  
 ——— *nana* Schltr., 126.  
 ——— *parvula* (Rendle) Summerh., 125.  
 ——— *penduliflora* Kraenzl., 126.  
*Eulophia tanganyikae* Kraenzl., 125.  
*Evolvulus agrestis* Schweinf., 344.  
*Falkia canescens* C. H. Wright, 337.  
 ——— *dichondroides* Baker, 337.  
Feinbrun, Naomi: The Genus *Crocus* in Israel and Neighbouring Countries (with figs.), 269.  
Fernandes, Abilio: The Rehabilitation of *Narcissus cantabricus* DC., 373.  
Ferns from Ceylon: *Idiopteris*, a New Genus of, T. G. Walker (with plate), 429.  
*Feroniella pubescens* Tanaka, 504.  
 ——— the Identity of, L. L. Forman, 503.  
Flora of 'Iraq with Keys, Notes on, Part III, R. A. Blakelock, 177.  
 ——— Notes on—Part IV: R. A. Blakelock, 461.  
Flora of Australia: IV, Contributions to the, R. Melville (with fig.), 389.  
Forman, L. L.: The Identity of *Feroniella pubescens* Tanaka (Rutaceae), 503.  
 ——— The Menispermaceae of Malaysia, II, 447.  
Fungi, New British, R. W. G. Dennis (with figs.), 399.  
Further Notes on Tropical American Xylariaceae, R. W. G. Dennis (with figs.), 297.  
*Gardenia manganjiae* Hiern, 353.  
Garlick, G. W.: A Rust New to the British Isles, 386.  
*Gentiana cruttwellii* H. Smith, 225.  
 ——— *juniperina* H. Smith, 225.  
Gentians from Eastern N. Guinea: Two new, H. Smith (with figs.), 225.  
*Genyorchis apertiflora* Summerh., 123.  
 ——— *macrantha* Summerh., 124.  
Gillett, J. B.: A Note on *Sphaerocoma* (Hafunja), 387.  
 ——— Schimper's First Visit to the Semien Range, 460.  
*Girgensohnia oppositiflora* (Pall.) Fenzl, 481.  
*Glinus lotoides* L., 462.  
*Gloeocystidium exudans* (Karst.) Karst., 134.  
*Glomerella montana* (Sacc.) von Arx & Müller, 399.  
*Gnomonia tetraspora* Winter, 399.  
Graham, R. A.: A Revision of *Oxygonum* (with figs.), 145.  
 ——— Notes on African Rosaceae, I, 229.  
 ——— Notes on African Rosaceae, II, 405.  
 ——— Notes on African Rosaceae, III, 428.  
 ——— Notes on African Rosaceae, IV, 498.  
*Grandinia agardhii* (Fr.) Fr., 134.  
 ——— *exudans* Karst., 134.  
 ——— *farinacea* (Pers. ex Fr.) Bourd. & Galz., 133.  
 ——— *sudans* (A. & S. ex Fr.) Lloyd, 134.  
*Gymnadenia graminifolia* (Rchb. f.) Rchb. f., 259.  
 ——— *rupestris* Miq., 259.



- Gymnosporia ambonensis* Loes., 38.  
 — *gracilis* Loes., 38.  
 — *harveyana* Loes., 37.  
 — *rubra* (Harv.) Loes., 38.  
 — *zanzibarica* Loes., 38.  
*Gypsophila* L., 190.  
 — *alsinoides* Bunge, 192.  
 — *anatolica* Boiss. et Heldr., 192.  
 — *antilibanotica* Post, 180.  
 — *aucheri* Boiss., 193.  
 — *capillaris* (Forsk.) C. Chr., 193.  
 — *gypsophiloides* (Fenzl) Blakelock, 193.  
 — *heteropoda* Freyn et Sint., 194.  
 — *nabelekii* Schischk., 194.  
 — *platyphylla* Boiss., 194.  
 — *polyclada* Fenzl, 194.  
 — *porrigens* (L.) Boiss., 195.  
 — *sphaerocephala* Fenzl, 195.  
 — *trichopoda* Boiss., 195.  
 — *venusta* Fenzl, 195.  
*Habenaria perpulchra* Kraenzl., 109.  
 — *platymera* Schltr., 109.  
 — *stenoceras* Summerh., 110.  
*Habrosia spinuliflora* (Ser.) Fenzl, 195.  
*Hafunia globifera* Chiov., 388.  
*Halimocnemis pilosa* Moq., 481.  
*Halimum sesuvioides* (Fenzl) Hiern var.  
   *reduplicatum* Hiern, 349.  
*Halimus sesuvioides* Kuntze, 349.  
*Halocharis* Moq., 482.  
 — *brachyura* Eig, 482.  
*Halocnemum strobilaceum* (Pall.) M.B., 482.  
*Halocephalis pygmaea* (Pall.) Bunge, 482.  
*Haloxylon* Bunge, 483.  
 — *ammodendron* (C.A.M.) Bunge, 483.  
 — *persicum* Bunge ex Boiss. et Buhse, 483.  
 Hansford, C. G. : A New Species of Amazonia, 410.  
*Harrisonia perforata* (Blanco) Merr., 503.  
*Haynea ovalifolia* Schum. & Thonn. : The Typification of R. W. J. Keay, 175.  
*Heinsia bussei* Verdcourt, 353.  
*Helotium herbarum* (Pers. ex Fr.) Fr. var. *eucalypti* Dennis, 397.  
*Henningsinia* Möller, 320.  
 — *durissima* Möller, 323.  
*Herniaria* L., 195.  
 — *arabica* Hand.-Mazz., 196.  
 — *hirsuta* L., 196.  
 — *incana* Lam., 197.  
*Heterantha callifolia* Kunth, 352.  
*Heterochaete cheesmanii* Wakefield, 127.  
 — *discolor* (Berk. & Br.) Petch, 127.  
 — *tonkiniana* Pat., 127.  
*Hippocratea plumbea* Blakelock et Wilczek, 39.  
*Hirtella bangweolensis* (R. E. Fr.) Greenway, 230.  
 — *megacarpa* R. Grah., 231.  
*Holostium* L., 197.  
 Holtum, R. E. : The Scales of Cyathea-ceae (with figs.), 41.  
 Hubbard, C. E. : Notes on African Grasses : XXVI, 52.  
 — Notes on African Grasses : XXVII, 54.  
 — Notes on African Grasses : XXVIII, 58.  
 Hughes, G. G. and H. H. Phillips ; A List of Oxfordshire Fungi, 97.  
*Hyalocystis popovii* Verdcourt, 347.  
 — *viscosa* Hallier f., 347.  
 Hybrid Pondweeds; Two new British, by J. E. Dandy and G. Taylor, 322.  
*Hydnum agardhii* Fr., 134.  
 — *farinaceum* Pers. ex Fr., 134.  
 — *niveum* Pers. ex Fr., 134.  
 — *sudans* A. & S. ex Fr., 134.  
 Hypericum in Africa South of the Sahara, Madagascar and the Mascarenes : The Genus, N. K. B. Robson (with tables and maps), 433.  
*Hypericum aethiopicum* Thunb., 438.  
 — subsp. *aethiopicum*, 439.  
 — subsp. *sonderi* (Bredell) Robson, 440.  
 — var. *glaucescens* Sonder, 440.  
 — *conjunctum* N. Robson, 437.  
 — *kiboense* Oliv., 437.  
 — *natalense* Wood et Evans, 440.  
 — *peplidifolium* A. Rich., 443.  
 — *sonderi* Bredell, 440.  
 — *synstylum* N. Robson, 433.  
 — *wilmsii* R. Keller, 440.  
*Hypodematum* A. Rich., 386.  
 — *sphaerostigma* A. Rich., 386.  
 — *aggregatum* Welw. & Curr., 313.  
 — *bacillum* (Mont.) Mont., 318.  
 — *bomba* Mont., 325.  
 — *cestrarioides* Welw. & Curr., 312.  
 — *clavus* (Fr.) Mont., 309.  
 — *coenopus* (Fr.) Mont., 311.  
 — (*Bacillaria*) *cyclops* Mont., 319.  
 — *heliscus* Mont., 313.  
 — (*Bacillaria*) *leprieurii* Mont., 317.  
*Hypoxylon micropus* (Fr.) Berk., 313.  
 — *oedipus* Mont. 307.  
 — *pedunculatum* S. F. Gray, 306.  
 — *phoenix* (Kunze) Berk. & Curt., 303.  
 — (*Bacillaria*) *poculiforme* Mont., 000.  
 — *sagraenum* Mont., 324.  
 — *turbinatum* Berk., 323.  
 — var. *guaraniticum* Speg., 323.  
*Hyssopus* Miers, 451.  
 — *borneensis* (Miq.) Beccari, 453.  
 — *cuspidata* (Hook. f. et Thoms.) Miers, 453.  
 — (Hook. f. et Thoms.) Miers var. *microphylla* (Miq.) Boerl., 453.  
 — *heteromera* Miers, 453.  
 — *jagorii* Diels, 453.  
 — *laevifolia* Diels, 454.  
 — *latifolia* Miq. ex Diels, 456.  
 — *laurina* (F. v. M.) Diels, 452.  
 — *monilifera* (Burkill) Diels, 456.  
 — *nitida* Miers, 453.  
 — *parvifolia* Kanehira et Hatusima, 452.  
 — *pauciflora* Miers, 453.  
 — *polyandra* Beccari, 455.  
 — *praevaricata* Miers, 453.  
 — *propensa* Miers, 453.  
 — *raapii* Diels, 456.  
 — *selebica* Becc., 455.  
 — *selwynii* F. v. M., 452.  
 — *uniflora* Miers, 453.



- Identity of *Feroniella pubescens* Tanaka (Rutaceae), L. L. Forman, 503.
- Idiopteris* T. G. Walker, 431.
- A New Genus of Ferns from Ceylon, T. G. Walker (with plate), 429.
- *hookeriana* (Agardh) T. G. Walker, 431.
- Inobulbon muricatum* (Finet) Kraenzl., 267.
- Inonotus patouillardii* (Rick) Reid, 141.
- *rickii* (Pat.) Reid, 141.
- *rodwayi* Reid, 139.
- ‘Iraq, Notes on the Flora of, with keys : III, R. A. Blakelock, 177.
- : IV, R. A. Blakelock, 461.
- Irpex depauperatus* Massee, 129.
- *depauperatus* Berk. & Br., 129.
- Jafri, S. M. H. : Some species of *Cleome*, 173.
- Katherinea acuminata* (Rolfe) A. D. Hawkes, 260.
- var. *lyonii* (Ames) A. D. Hawkes, 263.
- *ampla* (Lindl.) A. D. Hawkes, 260.
- *beccariana* (Kraenzl.) A. D. Hawkes, 267.
- *citrino-castanea* (Burkill) A. D. Hawkes, 266.
- *coelogyne* (Rchb. f.) A. D. Hawkes, 261.
- *cymbidioides* (Bl.) A. D. Hawkes, 261.
- *elongata* (Bl.) A. D. Hawkes, 262.
- *fuscescens* (Griff.) A. D. Hawkes, 262.
- *geminata* (Bl.) A. D. Hawkes, 262.
- *interrupta* (J. J. Sm.) A. D. Hawkes, 266.
- *kinabaluense* (Ridl.) A. D. Hawkes, 262.
- *labuana* (Lindl.) A. D. Hawkes, 262.
- *laurifolia* (Kraenzl.) A. D. Hawkes, 263.
- *longipes* (Hook. f.) A. D. Hawkes, 263.
- *macropoda* (Hook. f.) A. D. Hawkes, 263.
- *parvula* (Rolfe) A. D. Hawkes, 267.
- *perakensis* (Hook. f.) A. D. Hawkes, 267.
- *prasina* (Lindl.) A. D. Hawkes, 267.
- *pulchella* (Ridl.) A. D. Hawkes, 264.
- *rotundata* (Lindl.) A. D. Hawkes, 264.
- *simplex* (J. J. Sm.) A. D. Hawkes, 264.
- *speculum* (J. J. Sm.) A. D. Hawkes, 264.
- *stella-silvae* (Loher & Kraenzl.) A. D. Hawkes, 265.
- *treacheriana* (Rchb. f. ex Hook. f.) A. D. Hawkes, 265.
- *uncipes* (J. J. Sm.) A. D. Hawkes, 265.
- *verrucifera* (Rolfe) A. D. Hawkes, 266.
- *wichersii* (Schltr.) A. D. Hawkes, 266.
- *zebrina* (J. J. Sm.) A. D. Hawkes, 266.
- Keay, R. W. J. : The Typification of *Haynea ovalifolia* Schum. & Thonn., 175.
- Kennedy-O’Byrne, J. : Notes on African Grasses : XXIX (with fig. and tables), 65.
- Kniffia discolor* Berk. & Br., 127.
- Kochia* Roth, 484.
- Kochia eriophora* Schrad., 476.
- *muricata* (L.) Schrad., 476.
- *scoparia* Schrad. var. *culta* Farwell, 485.
- *trichophylla* Voss., 485.
- Kolhatkar, G. G. : A New species of *Marsilea* from Poona, India (with fig.), 293.
- Kretzschmaria* Fr., 308.
- *aggregata* (Welw. & Curr.) Sacc., 313.
- *australiensis* P. Henn., 309.
- *berkeleyana* (Cooke) Berl. & Vogl., 314.
- *botritis* Lloyd, 312.
- *cetrarioides* (Welw. & Curr.) Sacc., 312.
- *clavus* (Fr.) Sacc., 309.
- *coenopus* (Fr.) Sacc., 311.
- *divergens* Starb., 311.
- *erythraeae* Bacc. & Sacc., 313.
- *gomphoidea* Penz. & Sacc., 314.
- *heliscus* (Mont.) Massee, 313.
- *lichenoides* Rehm, 312.
- *macrosporus* (Fr.) Sacc., 313.
- *microspora* P. Henn., 315.
- *novo-guineensis* P. Henn., 312.
- *paradoxa* Pat., 312.
- *pechuellii* P. Henn., 312.
- *pusilla* Ell. & Ev., 309.
- *scruposa* Pat. & Har., 314.
- *sessilis* Pat., 314.
- *singaporensis* Sacc., 312.
- *spinifera* Ell. & Ev., 313.
- *stilbophora* Rehm, 315.
- *truncata* Pat., 303.
- *turbinata* Petch, 314.
- Lasiolepis bennetii* Planchon, 504.
- var. *multijuga* (Benn.) Planchon, 504.
- var. *paucijuga* (Benn.) Planchon, 504.
- Lepyrodiclis holosteoides* (C.A.M.) Fenzl, 197.
- Leveillea* Fries, 320.
- Limacia* Loureiro, 447.
- *blumei* (Boerl.) Diels, 448.
- *borneensis* Miq., 453.
- *cuspidata* Hook. f. et Thoms., 453.
- *distincta* Miers, 449.
- *inornata* Miers, 449.
- *microphylla* Miq., 453.
- *monilifera* Burkill.
- *nativitatis* Ridl., 458.
- *oblonga* Hook. f. et Thoms., 448.
- *scandens* Lour., 449.
- *selwynii* (F. v. M.) Bailey, 452.
- *velutina* Hook. f. et Thoms. var. *glabrescens* King, 449.
- Limeum fruticosum* Verdcourt, 351.
- Limonia pubescens* Wall. ex Hook., 504.
- Lissochilus parvulus* Rendle, 125.
- List of Oxfordshire Fungi, G. G. Hughes and H. H. Phillips, 97.
- Lloydella papyracea* (Jungh.) Bres., 131.
- Loeflingia hispanica* L., 197.
- Lopharia papyracea* (Jungh.) Reid, 131.
- Leudetia falcipeces* C. E. Hubbard, 61.
- *thoroldii* C. E. Hubbard, 62.

- Magnistiþula bangweolensis* (R. E. Fr.) R. Grah., 230.  
 — *butayi* De Wild. var. *greenwayi* (Brenan) R. A. Grah., 406.  
 — *eglandulosa* (Greenway) R. A. Grah., 407.  
 Malaysia, II : The Menispermaceae of, L. L. Forman, 447.  
*Marasmiellus scandens* (Masse) Dennis et Reid, 289.  
 Marasmioid Fungi allegedly parasitic on leaves and twigs in the tropics, R. W. G. Dennis and D. A. Reid (with figs.), 287.  
 Marasmius described by Hennings from South Brasil : Two Species of, R. W. G. Dennis (with figs.), 395.  
*Marasmius byssicola* Petch, 289.  
 — *cymatelloides* Dennis et Reid, 292.  
 — *cyphella* Dennis et Reid, 288.  
 — *ochraceo-papillatus* P. Henn., 395.  
 — *pulcher* (Berk. & Br.) Petch, 290.  
 — *puttemansii* P. Henn., 396.  
 — *scandens* Masse, 289.  
 Marsilea from Poona, India : L. New species of, G. G. Kolhatkar (with fig.) 293.  
 — *poonensis* Kolhatkar, 293.  
*Maytenus mossambicensis* (Klotzsch) Blake-lock, 37.  
 — — — — — var. *mossambicensis*, 37.  
 — — — — — var. *ruber* (Harvey) Blakelock, 38.  
*Megaclinium clarkei* Rolfe, 117.  
 — *djumaense* De Wildem., 120.  
 — *eburneum* Pfitz. ex Kraenzl., 117.  
 — *lepturum* Kraenzl., 116.  
 — *lindleyi* Rolfe, 116.  
 — *maximum* Lindl., 120.  
 — *oxypterum* Lindl., 121.  
 — *pobeguinii* Finet, 117.  
 — *renkinianum* M. Laurent, 122.  
*Melandrium* Roehl., 198.  
 — *ericalcycinum* Boiss., 198.  
 — *physocalcycinum* Hausskn. et Bornm., 198.  
 Melville, R. : Contributions to the Flora of Australia : IV (with fig.), 389.  
 — Encephalartos in Central Africa, 237.  
 — *Ulmus canescens*, An Eastern Mediterranean Elm (with figs.), 499.  
 Menispermaceae of Malaysia : II, L. L. Forman, 447.  
*Menispermum limacia* (DC.) Spreng., 449.  
 Microthyriella in Britain : Two New Species of, C. Booth (with fig.), 423.  
*Microthyriella osmundae* Booth, 424.  
 — *paludosa* Booth, 423.  
*Microthyrium juniperi* (Desm.) Sacc., 402.  
*Mimosa cinerea* L., 358.  
 — *tortilis* Forsk., 86.  
 Mimosoideae : III, Notes on, J. P. M. Brenan, 75.  
 — IV, Notes on, J. P. M. Brenan (with table), 357.  
*Minuartia* L., 181, 198.  
 — *aucheriana* (Boiss.) Bornm., 198.  
 — *hamata* (Haussk.) Mattf., 199.  
 — *intermedia* (Boiss.) Hand.-Mazz., 199.  
 — *lineata* (C.A.M.) Bornm., 198.  
 — *meyeri* (Boiss.) Bornm., 199.  
 — *montana* Loefl., 199.  
 — *recurva* (All.) Schinz et Thell. var. *hirsuta* (M.B.) Boiss., 199.  
 — *tenuifolia* (L.) Hiern, 199.  
*Mollugo hirta* Thunb., 462.  
*Narcissus bulbocodium* L. spp. *monophyllus* (Dur.) Maire, 381.  
 — spp. *monophyllus* (Dur.) Maire var. *foliosus* Maire, 380.  
 — spp. *monophyllus* (Dur.) Maire var. *kesticus* Maire et Wilczek, 280.  
 — var. *monophyllus* (Dur.) Bak., 381.  
 — *cantabricus* DC. : The Rehabilitation of, Abilio Fernandes (with figs., table and map), 373.  
 — — — — — 380.  
 — — — — — subsp. *cantabricus* var. *cantabricus*, 380.  
 — — — — — subsp. *cantabricus* var. *foliosus* (Maire) E. Fernandes, 380.  
 — — — — — subsp. *cantabricus* var. *kesticus* (Maire et Wilczek) A. Fernandes, 380.  
 — — — — — subsp. *cantabricus* var. *petunioides* A. Fernandes, 381.  
 — — — — — spp. *monophyllus* (Dur.) A. Fernandes, 381.  
 — *clusii* Dunal, 380.  
 — *monophyllus* (Dur.) T. Moore, 381.  
 — — — — — var. *foliosus* Maire, 380.  
*Nematopoa* C. E. Hubbard, 51.  
 — *longipes* (Stapf et C. E. Hubbard) C. E. Hubbard, 52.  
 New African Ferns, F. Ballard (with fig.), 47.  
 New British Fungi, R. W. G. Dennis (with figs.), 399.  
 New combination in Ephippiandra and a new species of Tambourissa (Monimiacae), A. Cavaco, 228.  
 New Genus of Ferns from Ceylon : Idiopteris, T. G. Walker (with plate), 429.  
 New Name in Rubiaceae, J. R. Tennant, 386.  
 New or Interesting Australian Discomycetes, R. W. G. Dennis (with figs.), 397.  
 New or Interesting Records of Australasian Basidiomycetes : III, Derek A. Reid (with figs.), 127.  
 New Species of Amazonia, C. G. Hansford, 410.  
 New Species in Peperomia, T. G. Yuncker, 421.  
 New species of Marsilea from Poona, India, G. G. Kolhatkar (with fig.), 293.  
*Noaea* Moq. ex DC., 485.  
 — *canescens* Moq. ex DC., 488.  
 — *kurdica* Eig, 485.  
 — *tournefortii* (Jaub. et Spach) Moq., 485.

- Nomenclatural Notes : I, A. A. Bullock, 296.  
 — II, A. A. Bullock, 356.  
 — III, A. A. Bullock, 409.  
*Neopentstania gossweileri* Verdcourt, 354.  
 Notes on *Sphaerocoma* (Hafunia), J. B. Gillett, 387.  
 Notes from the East African Herbarium : V, B. Verdcourt (with map), 333.  
 Notes on African Celastraceae : III, R. A. Blakelock, 37.  
 Notes on African Grasses : XXV, C. E. Hubbard, 51.  
 — XXVI, C. E. Hubbard, 52.  
 — XXVII, C. E. Hubbard, 54.  
 — XXVIII, C. E. Hubbard, 58.  
 — XXIX, J. Kennedy-O'Byrne (with fig. and tables), 65.  
 Notes on African Rosaceae : I, R. A. Graham, 229.  
 — II, R. A. Graham, 405.  
 — III, R. A. Graham, 428.  
 — IV, R. A. Graham, 498.  
 Notes on Asiatic Grasses : XXVII, N. L. Bor, 233.  
 — XXVIII, N. L. Bor, 411.  
 — XXIX, N. L. Bor, 415.  
 — XXX, N. L. Bor, 419.  
 — XXXI, N. L. Bor and C. E. Hubbard (with fig.), 425.  
 Notes on Asiatic Orchids : II, V. S. Summerhayes, 259.  
 Notes on Mimosoideae : III, J. P. M. Brenan, 75.  
 — IV, J. P. M. Brenan (with table), 357.  
 Notes on the Flora of 'Iraq with Keys : III, R. A. Blakelock, 177.  
 — IV, R. A. Blakelock, 461.  
*Nummularioidea artocreas* (Cooke & Massee) Lloyd, 319.  
*Obione flabellum* (Bunge ex Boiss.) Ulbrich, 475.  
 — *thunbergifolia* Boiss. et Noë, 476.  
*Odontia farinacea* (Pers. ex Fr.) Quél., 134.  
 — *lyndoniae* Reid, 134.  
 — *nivea* (Pers. ex Fr.) Quél., 134.  
 — *sudans* (A. & S. ex Fr.) Bres., 134.  
 Odontosoria : An African, F. Ballard (with fig.), 143.  
*Odontosoria africana* F. Ballard, 143.  
*Orchis graminifolia* (Rchb. f.) Tang & Wang, 259.  
 — *rupestris* (Miq.) Schltr., 259.  
 Orchids, African : XXIV, V. S. Summerhayes, 107.  
 — Notes on Asiatic : II, V. S. Summerhayes, 259.  
 Oxfordshire Fungi : A list of, G. G. Hughes and H. H. Phillips, 97.  
*Oxygonum*, a new species of, R. A. Graham, 236.  
 — A Revision of, R. A. Graham, 145.  
*Oxygonum acetosella* Welw., 165.  
 — *alatum* Burch., 165.  
 — — var. *incisum* Sond., 165.  
 — — var. *integrifolium* Sond., 165.  
 — — var. *marlothii* Engl., 165.  
 — *atriplicifolium* (Meisn.) Martel., 162.  
 — — var. *trichocarpum* Chiov., 162.  
 — *auriculatum* R. Grah., 152.  
 — *buchananii* (Dammer) Gillett, 152.  
 — *calcaratum* Meisn., 168.  
 — *callensii* Robyns & Petit, 169.  
 — *canescens* Sond., 167.  
 ? — — var. *subglabra* Schinz, 167.  
 — *carnosum* R. Grah., 236.  
 — *delagoense* O. Kuntze, 164.  
 — — var. *strictum* C. H. Wright, 167.  
 — *denhardtii* De Wild., 162.  
 — *dregeanum* Meisn., 166.  
 — — var. *canescens* (Sond.) R. Grah., 167.  
 — — — var. *dregeanum*, 166.  
 — — — var. *pubescens* (C. H. Wright) Burt Davy, 167.  
 — — — var. *strictum* (C. H. Wright) R. Grah., 167.  
 — — — var. *swazicum* (Burt Davy) R. Grah., 167.  
 — — — var. *wittei* (Staner) R. Grah., 168.  
 — *dregei* Meisn., 166.  
 — *ellipticum* R. Grah., 156.  
 — *elongatum* Dammer, 160.  
 — *fagopyroides* Dammer ex Peter, 162.  
 — *fasciculatum* Wright, 161.  
 — *fruticosum* Dammer ex Milne-Redhead, 169.  
 — *gramineum* R. Grah., 170.  
 — *hirtum* Peter, 158.  
 — *humbertii* Robyns, 161.  
 — *leptopus* Mildbr., 157.  
 — *limbatum* R. Grah., 165.  
 — *lineare* De Wild., 170.  
 — *litorale* R. Grah., 153.  
 — *lobatum* R. Grah., 159.  
 — *maculatum* R. Grah., 163.  
 — *magdalenae* Dammer ex Peter, 161.  
 — *natalense* Schlechter, 166.  
 — *ovalifolium* Robyns & Petit, 170.  
 — *overlaetii* Robyns, 168.  
 — *pachybasis* Milne-Redhead, 169.  
 — *pubescens* C. H. Wright, 167.  
 — *quarrei* De Wild., 161.  
 — *sagittatum* R. Grah., 159.  
 — *salicifolium* Dammer, 163.  
 — *schliebenii* Mildbr., 153.  
 — *sinuatum* (Hochst. & Steud. ex Meisn.) Dammer, 159.  
 — *somalense* Chiov., 162.  
 — *somalense* Chiov. var. *pterocarpum* Chiov., 160, 162.  
 — *stuhlmannii* Dammer, 161.  
 — *subfastigiatum* R. Grah., 156.  
 — *tenerum* Milne-Redhead, 169.  
 — *tristachyum* (Bak.) H. Perr., 152.  
 — *vanderystii* Robyns, 170.  
 — *wittei* Staner, 168.  
 — *zeyheri* Sond., 168.  
*Pachygone* Miers ex Hook. f. et Thoms., 457.  
 — *adversa* Miers, 458.  
 — *brachystachya* (DC.) Miers, 458.  
 — *concinna* Miers, 458.  
 — *hebephylla* Miers, 458.  
 — *hullsii* (F. v. M.) F. v. M., 458.  
 — *leptostachya* (DC.) Miers, 458.  
 — *ovata* (Poir.) Hook. f. et Thoms., 457.



- var. *dasyphylla* Miq., 458.  
 ——— var. *rotundifolia* Miq., 458.  
 ——— *plukenetii* (DC.) Miers, 458.  
 ——— *pubescens* Benth., 458.  
*Parinari bangweolensis* R. E. Fr., 230.  
 ——— *bequaertii* De Wild., 229.  
 ——— *capensis* Harv., 230.  
 ——— ssp. *latifolia* (Oliv.) R. Grah., 230.  
 ——— var. *latifolia* Oliv., 230.  
 ——— *curatellifolia* Planch. ex Benth., 229.  
 ——— ssp. *mobola* (Oliv.) R. Grah., 229.  
 ——— Planch. ex Benth. var. *fruticulosa* R. E. Fr., 230.  
 ——— *excelsa* sensu Brenan, 230.  
 ——— Sabine, 229.  
 ——— ssp. *holstii* (Engl.) R. Grah., 229.  
 ——— var. *fulvescens* Engl., 230.  
 ——— *floribunda* Baker, 229.  
 ——— *holstii* Engl., 229.  
 ——— var. *longifolia* Engl. ex De Wild. & Th. Dur., 230.  
 ——— *latifolia* (Oliv.) Exell, 230.  
 ——— *mildbraedii* Engl., 230.  
 ——— *mobola* Oliv., 229.  
 ——— *nalaensis* De Wild., 230.  
 ——— *polyandra* Benth., 229.  
 ——— ssp. *floribunda* (Baker) R. Grah., 229.  
 ——— *pumila* Mildbr., 230.  
*Paronychia* Juss., 200.  
 ——— *arabica* (L.) Del., 201.  
 ——— *argentea* Lam., 201.  
 ——— *kurdica* Boiss., 201.  
*Pentania renifolia* Verdcourt, 354.  
*Pentas herbacea* (Hiern) K. Schum., 355.  
 ——— *micrantha* Baker, 355.  
*Pentastichis welwitschii* Rendle, 53.  
*Peperomia* : New Species in, T. G. Yuncker, 421.  
*Peperomia caperata* Yuncker, 421.  
 ——— *griseo-argentea* Yuncker, 421.  
*Peripterygiaceae* F. N. Williams, 356.  
*Peripterygium* Hassk., 356.  
 ——— *quinquelobatum* Hassk., 356.  
*Peziza atrovinosa* Cooke et Gerard, 400.  
*Phacidium juniperi* Karst., 401.  
*Phylacia* Léveillé, 320.  
 ——— *bomba* (Mont.) Pat. apud Duss, 325.  
 ——— *globosa* Lévl., 324.  
 ——— *poculiformis* (Mont.) Mont., 322.  
 ——— *sagraeana* (Mont.) Mont., 324.  
 ——— *surinamensis* (Berk. & Curt.) Dennis, 325.  
 ——— *turbinata* (Berk.) Dennis, 323.  
*Phyllorchis triadenia* (Lindl.) Kuntze, 265.  
*Piptophyllum* C. E. Hubbard, 53.  
 ——— *welwitschii* (Rendle) C. E. Hubbard, 53.  
*Platanthera rupestris* (Miq.) Schltr. ex Matsum., 259.  
*Pleospora discors* (Dur. et Mont.) Ces. et de Not., 400.  
*Poa imperialis* Bor, 414.  
*Podonectria tenuispora* Dennis, 404.  
*Podosordaria* Ellis & Holway, 305.  
 ——— *leporina* (Ell. & Ev.) Dennis, 306.  
 ——— *mexicana* Ell. & Holw., 306.  
 ——— *pedunculata* (S. F. Gray) Dennis, 306.  
 ——— *tulasnei* (Nitzschke) Dennis, 306.  
*Polycarpaea repens* (Forsk.) Asch. et Schw., 202.  
*Polycarpon* L., 202.  
 ——— *succulentum* (Del.) J. Gay, 202.  
 ——— *tetraphyllum* (L.) L.f., 202.  
*Polygonum owenii* Bojer, 162.  
*Polyporus peradeniae* Berk. & Br., 135.  
 ——— *personatus* Berk. & Br., 135.  
 ——— *cervino-gilvus* Jungh., 135.  
 ——— *chrysoleucus* Kalchbr., 135.  
 ——— *cretaceus* Lloyd, 138.  
 ——— *dermatodes* Lévl., 135.  
 ——— *diversiporus* Berk. & Br., 135.  
*Polystachya camaritoides* Summerh., 111.  
*Polystichum magnificum* F. Ballard, 48.  
*Polystictus cervino-gilvus* (Jungh.) Fr., 135.  
 ——— *chrysoleucus* (Kalchbr.) Cke., 135.  
 ——— *peradeniae* (Berk. & Fr.) Cke., 135.  
 ——— *personatus* (Berk. & Br.) Cke., 135.  
*Ponerorchis graminifolia* Rchb. f., 259.  
*Poria diversipora* (Berk. & Br.) Cke., 135.  
*Poronia* Willd. ex Fries, 306.  
 ——— *eodipus* (Mont.) Mont., 307.  
 ——— *heliscus* (Mont.) Mont., 313.  
 ? ——— *hemisphaerica* Starb., 307.  
 ——— *leporina* Ell. & Ev., 306.  
 ——— *macrorrhiza* Speg., 307.  
 ——— *macrospora* Peck, 306.  
 ——— *minuta* Petch, 306.  
 ——— *ustorum* Pat., 304.  
*Porothelium confusum* Berk. & Br., 134.  
 ——— *stevensonii* Berk. & Br., 134.  
*Portulaca* L., 461.  
*Potamogeton* × *cadburyae* Dandy & Taylor, 332.  
 ——— × *pseudofriesii* Dandy & Taylor, 332.  
*Pseudodanthonia* Bor et Hubbard, 425.  
 ——— *himalaica* (Hook. f.) Bor et Hubbard, 427.  
*Psyllothamnus beevori* Oliv., 388.  
*Pteranthus dichotomus* Forsk., 202.  
*Pteris hookeriana* Agardh, 431.  
*Pterula fascicularis* Bres. & Pat., 133.  
 Publications, 31.  
*Puccinia eutremae* Lindr., 408.  
 ——— *pazschkei* Diet., 408.  
*Radulum spinulosum* Berk. & Curt., 129.  
*Ramularia ruta-murariae* Trotter, 404.  
*Randia buchananii* Oliv., 353.  
 ——— *fratrum* K. Krause, 353.  
 Rehabilitation of *Narcissus cantabricus* DC., Abílio Fernandes (with figs., table and map), 373.  
 Reid, Derek A. : New or Interesting Records of Australasian Basidiomycetes, III (with figs.), 126.  
 Review of the Work of the Royal Botanic Gardens, I.  
 Revision of *Oxygonum*, R. A. Graham (with figs.), 145.  
*Rhodolaena* Thouars, 410.  
*Rhodolaenaceae*, 410.  
*Rhopalopsis* Cooke, 308.  
 ——— *aggregatum* (Welw. & Curr.) Cooke, 313.  
 ——— *berkeleyanum* Cooke, 314.

- Rhopalopsis cetrarioides* (Welw. & Curr.) Cooke, 312.  
 — *clavus* (Fr.) Cooke, 309.  
 — *coenopus* (Fr.) Cooke, 311.  
 — *micropus* (Fr.) Cooke, 313.  
*Robbairea delileana* Milne-Redhead, 202.  
*Robiquetia spathulata* (Bl.) J. J. Sm., 268.  
 Robson, N. K. B. : The Genus *Hypericum* in Africa South of the Sahara, Madagascar and the Mascarenes (with tables and maps), 433.  
 Rubiaceae : A New Name in, J. R. Tennant, 386.  
*Rubus aethiopicus* R. A. Grah., 405, 428.  
 — *apetalus* Poir. var. *apetalus*, 498.  
 — *dictyophyllus* Oliv., 406.  
 — *erlangeri* Engl., 428.  
 — *friesiorum* C. E. Gust. spp. *elgonensis* (C. E. Gust.) R. A. Grah., 406.  
 — *nyikensis* De Wild., 406.  
 — *pinnatus* Willd., 406.  
 — — var. *pinnatus*, 498.  
 — — var. *subglandulosus* (C. E. Gust.) R. A. Grah., 406.  
 — *rigidus* Sm., 498.  
 — *rooseveltii* Standl., 406.  
 — *steudneri* Schweinf. var. *dictyophyllus* (Oliv.) R. A. Grah., 405.  
 Rust New to the British Isles, G. W. Garlick, 386.  
 Rusts : Two interesting Scottish, E. A. Ellis, 408.  
*Sagina* L., 203.  
 — *apetala* L., 203.  
 — *saginoides* (L.) Karst., 203.  
*Salicornia pygmaea* Pall., 482.  
*Salsola* L., 485.  
 — *auricula* Moq. var. *acutifolia* (Moq.) Boiss., 487.  
 — *auranti* Post, 487.  
 — — var. *hierochuntica* (Bornm.) Eig, 490.  
 — *baryosma* (Roem. et Schultes) Dandy, 488.  
 — *canescens* (Moq.) Boiss., 488.  
 — *crassa* M.B., 489.  
 — *cyclophylla* Baker, 489.  
 — *dendroides* Pall., 489.  
 — *glauca* M.B., 490.  
 — near *glauca* M.B., 490.  
 — *gossypina* Bunge, 490.  
 — *hierochuntica* Bornm., 490.  
 — near *incanescens* C.A.M., 490.  
 — *inermis* Forsk., 491.  
 — *jordamicola* Eig, 491.  
 — near *kali* L., 492.  
 — *lancifolia* Boiss., 492.  
 — *longifolia* Forsk., 493.  
 — *muricata* L., 476.  
 — *rigida* Pall., 493.  
 — — var. *tenuifolia* Boiss., 493.  
 — *rosmarinus* (Ehrh.) Eig, 494.  
 — *subaphylla* C.A.M., 493.  
 — *verrucosa* M.B., 489.  
 — *volkensii* Schw. et Asch., 493.  
*Saponaria* L., 203.  
 — *suffruticosa* Nabelek, 203.  
 — *tridentata* Boiss., 203.  
 — *vaccaria* L., 204.  
 — — — — var. *grandiflora* Fisch. ex DC., 204.  
 — — *viscosa* C.A.M., 204.  
*Sarcanthus armeniacus* Rchb. f., 268.  
*Sarcopodium acuminatum* (Rolfe) Kraenzl., 260.  
 — — var. *lyonii* (Ames) Kraenzl., 263.  
 — *amplum* (Lindl.) Lindl., 260.  
 — *beccarianum* Kraenzl., 267.  
 — *acuminis* (Gagnep.) Tang & Wang, 260.  
 — *citrino-castaneum* (Burkill) Ridl., 266.  
 — *clemensiae* (Gagnep.) Tang & Wang, 261.  
 — *coelogyne* (Rchb. f.) Rolfe, 261.  
 — *cymbidioides* (Bl.) Rolfe, 261.  
 — *denipoenae* (J. J. Sm.) Carr, 261.  
 — *elongatum* (Bl.) Rolfe, 262.  
 — *fargesii* (Finet) Tang & Wang, 262.  
 — *fuscescens* (Griff.) Lindl., 262.  
 — *geminatum* (Bl.) Rolfe, 262.  
 — *interruptum* (J. J. Sm.) Merr., 266.  
 — *kinabaluense* (Ridl.) Rolfe, 262.  
 — *labuanum* (Lindl.) Rolfe, 262.  
 — *laurifolium* Kraenzl., 263.  
 — *longipes* (Hook. f.) Rolfe, 263.  
 — *lyonii* (Ames) Rolfe, 263.  
 — *macropodium* (Hook. f.) Rolfe, 263.  
 — *muricatum* (Finet) Rolfe, 267.  
 — *parvulum* (Rolfe) Kraenzl., 267.  
 — *perakense* (Hook. f.) Kraenzl., 267.  
 — *prasinum* (Lindl.) Kraenzl., 267.  
 — *pulchellum* Ridl., 264.  
 — *radicosum* (Ridl.) Rolfe, 264.  
 — *rotundatum* Lindl., 264.  
 — *speculum* (J. J. Sm.) Carr, 264.  
 — *stella-silvae* Loher & Kraenzl., 265.  
 — *suberectum* Ridl., 265.  
 — *sulphuratum* (Ridl.) Rolfe, 266.  
 — *treacherianum* (Rchb. f. ex Hook. f.) Rolfe, 265.  
 — *tradenium* Lindl., 265.  
 — *triflorum* (Bl.) Rolfe, 265.  
 — *verruciferum* Rolfe, 266.  
 — *wichersii* (Schltr.) Carr, 266.  
 — *zebrinum* (J. J. Sm.) Kraenzl., 266.  
 Scales of Cyatheaceae, R. E. Holttum (with figs.), 41.  
*Schanginia hortensis* (Forsk. ex Gmel.) Moq., 496.  
 Schimper's First Visit to the Semien Range, J. B. Gillett, 460.  
*Sclerocephalus arabicus* Boiss., 204.  
 Second Species of *Uromyces* on British Spurge, R. W. G. Dennis and N. Y. Sandwith, 372.  
*Seddera arabica* (Forsk.) Choisy, 341.  
 — *bracteata* Verdcourt, 339.  
 — *erlangeriana* Engl. & Pilger, 341.  
 — *glomerata* (Balf. f.) O. Schwartz, 339.  
 — *gracilis* Chiov., 57.  
 — — var. *gracilis* (Chiov.) Verdcourt, 341.  
 — *hallieri* Engl. & Pilger, 342.  
 — *hirsuta* Hallier f., 341.  
 — — var. *hirsuta*, 341.  
 — *humilis* Hallier f., 341.

- var. *erlangeriana* (Engl. & Pilger) Verdcourt, 341.  
 — *latifolia* Hochst. & Steud. var. *micrantha* (Pilger) Verdcourt, 342.  
 — *micrantha* Pilger, 342.  
 — *schizantha* Hallier f., 343.  
 — *simmonsii* Verdcourt, 340.  
 — *welwitschii* Hallier f., 343.  
*Seidlitzia rosmarinus* Bunge ex Boiss., 494.  
*Selwynia* F. v. M., 451.  
 — *laurina* F. v. M., 452.  
 Semien Range : Schimper's First Visit to the, J. B. Gillett, 460.  
*Serratula* in Crete, W. B. Turrill, 391.  
*Serratula cichoracea* (L.) DC., subsp. *cretica* Turrill, 391.  
*Sesuvium digynum* Oliv., 349.  
 — *sesuvioides* (Fenzl) Verdcourt, 349.  
*Seynesia juniperi* (Desm.) von Höhnelt, 402.  
*Seynesiella juniperi* (Desm.) Arnaud, 402.  
*Silene* L., 204.  
 — *aegyptiaca* (L.) L. fil., 207.  
 — *arabica* Boiss., 207.  
 — *atocioides* Boiss., 208.  
 — *aucheriana* Boiss., 208.  
 — *chlorifolia* Sm., 209.  
 — var. *swertiifolia* Rohrb., 209.  
 — *colorata* Poir. subsp. *oliveriana* (Othth) Rohrbach, 210.  
 — *commelinifolia* Boiss. var. *commelinifolia* 210.  
 — var. *eremicana* (Stapf) Blakelock, 211.  
 — *dichotoma* Ehrh., 211.  
 — *eriocalycina* Boiss., 212.  
 — *linearis* Decaisne, 212.  
 — *longipetala* Vent., 213.  
 — var. *puberula* (Boiss.) Blakelock, 214.  
 — *muscipula* L., 214.  
 — *odontopetala* Fenzl, 214.  
 — *oreophila* Boiss., 215.  
 — *pruinosa* Boiss. ?, 215.  
 — *rigidula* Sibth., 215.  
 — *schizopetala* Bornm., 215.  
 — *spergulifolia* (Willd.) M.B., 215.  
 — *stentoria* Fenzl, 215.  
 — *villosa* Forsk., 215.  
 Smith, H. : Two new Gentians from Eastern N. Guinea (with figs.), 225.  
 Some species of *Cleome*, S. M. H. Jafri, 173.  
*Sordaria ustorum* Mouton, 399.  
*Spergula arvensis* L., 216.  
 — *fallax* (Lowe), E. H. L. Krause, 216.  
*Spergularia* Presl, 216.  
*Sphaeria (Cordyceps) adscendens* Fries, 299.  
 — *clavus* Fr., 309.  
 — *coenopus* Fr., 311.  
 — *gompus* Fr., 298.  
 — *micropus* Fr., 313.  
 — *papyrifera* Link, 298.  
 — *pedunculata* Dicks. ex Berkeley, 306.  
 — *phoenix* Kunze, 303.  
*Sphaerocoma* (Hafunia) : A Note on, J. B. Gillett, 387.  
*Sphaerocoma aucheri* Boiss., 388.  
 — *hookeri* T. Anders., 388.  
 —  $\alpha$  ssp. *hookeri*, 388.  
 —  $\beta$  ssp. *intermedia* Gillett, 388.  
*Spinacia* L., 494.  
 — *tetrandra* Stev., 495.  
 — *turkestanica* Iljin, 495.  
*Sporobolus maderaspatanus* Bor., 234.  
 Staff, Scientific and Administrative, 33.  
*Stellaria* L., 216.  
 — *kotschyana* Fenzl var. *glabra* Bornm., 217.  
*Stenoglottis calcarata* Rchb. f., 107.  
*Stigmatea alpina* Speg., 402.  
 — *juniperi* (Desm.) Winter, 402.  
*Suaeda* Forsk. ex Scop., 495.  
 — *fruticosa* (L.) Forsk. ex Gmel., 496.  
 — var. *brevifolia* Boiss., 496.  
 — *hortensis* Forsk. ex Gmel., 496.  
 — *maritima* (L.) Dum., 496.  
 — var. *salsa* (L.) Moq., 496.  
 — *monoica* Forsk. ex Gmel., 496.  
 — *salsa* (L.) Pall. ?, 496.  
 Summerhayes, V. S. : African Orchids, XXIV, 107.  
 — : Notes on Asiatic Orchids, II, 259.  
*Tambourissa kirkii* Cavaco, 228.  
 — *microphylla* Poir., 228.  
*Telephium* L., 217.  
 — *imperati* L. var. *orientale* (Boiss.) Boiss., 217.  
 — *oligospermum* Steud., 217.  
 Tennant, J. R. : A New Name in Rubiaceae, 386.  
*Tetragonia dimorphanthus* Pax, 348.  
*Tetraorchidium ulugurense* Verdcourt, 347.  
*Thamnomycetes* Ehrenberg, 326.  
 — *annulipes* Mont., 331.  
 — *bacillum* Mont., 318.  
 — *chamissonis* Ehrenb., 327.  
 — *chordalis* Fr., 329.  
 — *dendroidea* Cooke & Massee, 329.  
 — *fuciformis* Berk., 331.  
 — *macrospora* Lloyd, 327.  
 — *rostratus* Mont., 329.  
 — var. *tenuior* P. Henn., 329.  
 — var. *similis* Berk., 329.  
*Thelebolus sudans* (A. & S. ex Fr.) Fr., 134.  
*Thelephora papyracea* Jungh., 131.  
*Theligonum cynocrambe* L., 497.  
*Thespesiopsis mossambicensis* Exell et Hillcoat, 351.  
*Tinospora hullsii* F. v. M., 458.  
*Traganum nudatum* Del., 497.  
*Trametes dermatodes* (Lév.) Lév., 135.  
*Tremandraceae* DC., 410.  
*Trianthema hydasypica* Edgeworth, 349.  
 — *polysperma* Oliv., 349.  
*Tribulocarpus dimorphanthus* (Pax) Sp. Moore, 348.  
*Trichophaea bicuspis* (Boud.) Boud., 400.  
*Tripogon wardii* Bor., 417.  
*Triraphis abyssinica* (Hochst. ex A. Rich.) Nec ex Engl., 56.  
 — *longipes* Stapf et C. E. Hubbard, 52.  
*Tristichocalyx* F. v. M., 457.  
*Tristichocalyx pubescens* (Benth.) F. v. M., 458.



- Tropical American Xylariaceae : Further Notes on, R. W. G. Dennis (with figs.), 297.
- Tunica pachygona* C.A.M., 218.
- Turrill, W. B. : *Serratula* in Crete, 391.
- Two interesting Scottish rusts, E. A. Ellis, 408.
- Two new British Hybrid Pondweeds, by J. E. Dandy and G. Taylor, 332.
- Two new Gentians from Eastern N. Guinea, H. Smith (with figs.), 225.
- Two New Species of *Microthyriella* in Britain, C. Booth (with fig.), 423.
- Two Species of *Marasmius* Described by Hennings from South Brasil, R. W. G. Dennis (with figs.), 395.
- Tympanis toomansii* Berk. & Br., 398.
- Typification of *Haynea ovalifolia* Schum. & Thonn., R. W. J. Keay, 175.
- Ulmus canescens* : An Eastern Mediterranean Elm, R. Melville (with figs.), 499.
- Melville, 499.
- *carpinifolia* Gleditsch, 499.
- Uromyces on British Spurge : A Second Species of, R. W. G. Dennis and N. Y. Sandwith, 372.
- Uromyces hippocrepidis* E. Mayor, 386.
- *tinctoriicola* P. Magn., 372.
- Velezia rigida* L., 218.
- Verdcourt, B. : Notes from the East African Herbarium, V (with map), 333.
- Vernonia psammophila* Muschler, 334.
- *rhodanthoidea* Muschler var. *densifolia* Verdcourt, 334.
- var. *psammophila* (Muschler) Verdcourt, 334.
- Walker, T. G. : *Idiopteris*, A New Genus of Ferns from Ceylon (with plate), 429.
- Wisneria filifolia* Hook. f., 333.
- Xylaria adscendens* (Fries) Fries, 299.
- *amazonica* P. Henn., 297.
- *annulipes* (Mont.) Sacc., 331.
- *bacillaris* Rehm, 297.
- *brachiata* Sacc., 297.
- *brevipes* Sacc. & Fairm., 297.
- *chordalis* (Fr.) Sacc., 329.
- *coenopus* (Fr.) Berk. & Curt., 311.
- *cristulata* Lloyd, 299.
- *cylindrica* Ell. & Ev., 297.
- *dendroidea* (Cooke & Mass.) Sacc., 329.
- *deserticola* Speg., 300.
- *euphorbiicola* Rehm, 300.
- *fastigiata* Fr., 297.
- *fuiformis* (Berk.) Sacc., 331.
- *gompheus* (Fr.) Fr., 297.
- *huberiana* P. Henn., 298.
- *kurziana* Currey, 303.
- *marasmoides* Berk. & Cooke, 331.
- *morchelliformis* Rehm, 298.
- *ophiopoda* Sacc., 298.
- *pallide-ostiolata* P. Henn., 298.
- *papyrifera* (Link) Fr., 298.
- *paraensis* P. Henn., 298.
- *pedunculata* (S. F. Gray) Fries, 306.
- *phoenix* (Kunze) Dennis, 303.
- *poculiformis* (Mont.) Berk. & Curt., 322.
- *protea* Fr., 298.
- *puiggarii* Speg., 312.
- *reducta* Syd., 298.
- *rostrata* (Mont.) Sacc., 329.
- *rugosa* Sacc., 298.
- *smilacicola* Speg., 301.
- *subgracillima* P. Henn., 298.
- *subinvoluta* von Höhnelt, 298.
- *subtrachelina* P. Henn., 298.
- *theissenii* Lloyd, 303.
- *torquescens* Sacc., 299.
- *tulasnei* Nitzsche, 306.
- *ustorum* (Pat.) Dennis, 304.
- *vaporaria* Berk., 306.
- *variabilis* Welw. & Curr., 299.
- *vermicularis* Sacc., 331.
- Xylariaceae : Further Notes on Tropical American, R. W. G. Dennis (with figs.), 297.
- Xylia* Benth., 348.
- *torreana* Brenan, 359.
- Yuncker, T. G. : New Species in *Peperomia*, 421.



